

PANEL LABEL & CERTIFICATION MARKS

Supplemental Thickness Labeling Consistent with NIST 130/133 Regulations and the Structural Panel Standards



New supplemental mill thickness label. See table for label thickness based on specific nominal thickness.

Nominal thickness in the certification mark is now moved to the lower part of the certification mark and refers to "CATEGORY".

PS 1/PS 2 Panel Category (Nominal Thickness, inch)	Supplemental Label Thickness (inch)
1/4	0.225
9/32	0.258
5/16	0.290
11/32	0.322
3/8	0.354
13/32	0.386
7/16	0.418
15/32	0.451
1/2	0.483
17/32	0.515
9/16	0.547
19/32	0.578
5/8	0.609
21/32	0.641
11/16	0.672
23/32	0.703
3/4	0.734
25/32	0.758
13/16	0.788
27/32	0.818
7/8	0.849
1	0.970
1-3/32	1.061
1-1/8	1.091
1-1/4	1.213
1-1/2	1.455

FASTENERS NEEDED

Roofing

5 lbs. of nails will apply **3 square** of roof shingles

Wood Siding

5 lbs. of nails will apply **2 square** of siding

Drywall

1 lb. of 1-1/4" drywall screws will apply 9 - 4' x 8' sheets of drywall

Decking

5 lbs. of deck screws will apply 500 lin. ft. of decking

Framing

1 lb. of common nails will frame 10' of 16" on center application

Publisher is not responsible for errors or omissions in this book. Always check your local building codes for updated information.